

**HONDA**

# Honda Snow Blowers



2015/2016 CATALOG





## GENUINE HONDA



**Top Left:**  
Honda CRF450R

**Top Right:**  
Honda Accord  
EX-L V-6 Coupe

**Above:**  
Honda Advanced  
Robotics — Asimo

**Right:** HondaJet

**Below:**  
Honda HSS928ATD  
Snow Blower

**W**hen you're equipped with the power and smooth maneuvering of a Honda Snow Blower, winter is no longer a season of discontent. Honda has superior snow blowing and throwing solutions, so you can clear your paths and driveway in less time — with minimized effort. And behind every exclusive feature, you'll find technology that crosses our entire product line. Technology born and tested on racetracks and roadways around the globe that continuously keeps us on the cutting edge. From automobiles, race cars, motorcycles and all-terrain vehicles to marine engines, general-purpose engines and power equipment products, Honda is committed to designing products that meet or exceed the demands of our customers throughout the world. In fact, all Honda Power Equipment products offer a 50-state engine that meets both EPA and California's emission requirements. It's no wonder Honda makes more engines than anyone else on earth.

Throughout our history, Honda has been dedicated to technological and environmental innovation, and today is no different. After all, we have a legendary reputation to live up to. A reputation for unsurpassed quality, performance and reliability. A reputation worth considering the next time you're in the market for a snow blower. Honda's thought of everything to keep you in the clear. Let it snow!



# Forecast Calling For Snow? Start Your Honda Snow Blower!

**A**sk Honda owners and they'll tell you — there are snow blowers, then there are Honda Snow Blowers.

So what really makes the difference?

For starters, the engine. Only Honda Snow Blowers have Honda Engines. No other brand has the complete Honda design, top-to-bottom, with a Honda Engine matched and engineered as part of the snow blower — for optimum performance.

Then there are the details. Two-stage HSS models are totally redesigned with features like a hand-operated auger height adjustment, easy-steering control levers, electric joystick chute control and built-in LED headlight, just to name a few. Also standard are ball bearing-supported auger and impeller shafts, machine-cut gears and a proven hydrostatic drive system that offers a single lever control for infinitely variable speed control and direction control.



And how about the choices? Single or two-stage, track or wheel drive, hybrid models, electric or pull-start only — there's one of 14 different Honda models just right for conquering the snow on your driveway, sidewalk, or commercial site.

Like all Honda products, legendary reliability and quality are built right in — and for all Honda Snow Blowers, that assembly and production takes place in our



First HSS Series Unit Produced in Honda's North Carolina Facility

North Carolina facility with foreign and domestic parts.\*

Finally, there's our network of Honda Servicing Dealers who can help you pick the ideal model and get it

prepped and ready for your local conditions. And those dealers will be there for your service and parts needs after the sale.

Thumb through the next few pages and see for yourself, or go visit your local Honda Power Equipment dealer. Discover what really makes a Honda Snow Blower so special.

\*HS1336i not made in U.S.



# Honda Snow Blowers Key Features

Honda Snow Blowers come with a wide range of innovative and exclusive technology. The redesigned HSS Series is packed with all-new, reimagined features. Look for these icons throughout the brochure to identify features found on particular models.



## Joystick Chute Control

The all-new electric 4-direction joystick chute control lets you reposition your chute on the go, allowing you to clear snow faster and more efficiently. Two-stage models.



## Hydrostatic Drive

Hydrostatic transmission allows adjustable travel speeds without affecting the auger rotation speed. Two-stage HSS models.



## Auger Height Adjust Lever

The redesigned auger height adjust lever lets you adjust the intake auger angle to suit the snow conditions with a quick one-handed control. Track drive models.



## Auger Interlock

Allows convenient one-hand operation on drive control after auger lever is engaged and locked. Two-stage models.



## Wheel Drive

Pneumatic sure grip tires for great traction and easy maneuverability on flatter areas. Select two-stage models.



## Track Drive

Provides superior traction through most snow conditions. Perfect for complete control on uneven ground and steep inclines. Select two-stage models.



## Manual Chute Control

Manual chute controls allow you to simply and easily adjust the angle and direction of the chute with a chute lever handle or Honda's exclusive Snow Director™ chute controls. Single-stage models.



## Rubber Auger Surface Cleaning

Replaceable rubber auger paddles let you clear away snow right down to the surface in smooth conditions. Single-stage models.



## Steering Control Levers

Easy steering and unrivalled control once auger and clutch levers are engaged. Levers also provide easy movement and transport even with the engine off. Two-stage HSS models.



## LED Light

A powerful built-in LED worklight makes the Honda Snow Blower easy to use, even in the dark. Two-stage HSS models.



## Hour Meter With Auger Lock Indicator Light

The handy hour meter gives you an accurate record of hours worked, ensuring servicing at the right time. HSS1332ATD only.





## Throttle Control

Throttle control lever provides manual control of engine speed. Two-stage models.



## Electric Start

Simple electric starting makes your snow blower even easier to use. These models also come standard with recoil pull-start. Select models.



## Honda Snow Blowers — Very Smart.

Honda Snow Blowers are packed with features that result in **Very SMART** benefits when you're clearing away the winter storm: **Simple, Money Saving, Adaptable, Reliable and Time Saving.**

**Simple** — User controls all conveniently located within easy reach of the operator. Electronic joystick control for snow discharge direction. Convenient DC electric start two-stage models require no 120V plug-in charging.

**Money Saving** — Easy-starting Honda GX Series commercial grade engines offers high fuel efficiency and runs on regular unleaded gasoline (up to 10% ethanol). Superior design and use of commercial grade components throughout for years of dependable service and low maintenance costs.

**Adaptable** — Put snow where you'd like with convenient controls that determine snow discharge and distance. Two-stage track drive models include height adjustable auger housings to allow for clearing snow all the way down to the surface depending on snow conditions.

**Reliable** — Honda Snow Blowers are designed to offer years of solid performance with very little maintenance. Two-stage model auger and impeller housing are made of automotive grade steel to withstand harsh winter environments. All electronic connections are weather sealed to stand up to adverse cold weather environments.


**Time Saving** — Fuel efficient and powerful commercial-grade Honda GX Series engines, self-charging electric start models, and hydrostatic drive (no shifting) all combine to get the job done quickly.

HSS1332ATD model shown.  
†HSS1332ATD model only. \*Select models.



# Honda HSS Series Snow Throwing Distance

Honda's HSS Series snow blowers have been reimagined from the ground up. The combination of the Honda GX Series commercial-grade engine, optimized impeller pulley and 90° impeller wing dramatically optimizes the HSS Series snow throwing capacity and outperforms many competitors.



\*Latest product information. Honda internal testing.



## Single-Stage Snow Blowers vs. Two-Stage Snow Blowers



HS720 Single-Stage Model

What's the difference between a single-stage and a two-stage snow blower? The Honda HS720 Series **single-stage snow blower** uses its auger to take in snow at a high rate of speed and forces the snow out of the discharge chute. Honda HSS **two-stage snow blowers** use their augers to take in the snow and feed the snow to a high speed impeller (or fan-like device) that actually blows the snow out the discharge chute. Two-stage snow blowers are able to move larger volumes of snow greater distances than single-stage snow blowers.



HSS928 Two-Stage Model



Wheel Drive

Honda HSS724 and HSS928 snow blowers are available in wheel drive models. These models feature new directional treads and large, 14" tall pneumatic tires for better traction performance and stability. Wheel drive models have excellent maneuverability and are well suited for most snow clearing conditions.



Dual Track Drive

Dual track drive on Honda HSS724, HSS928 and HSS1332 models offer even weight distribution and exceptional traction on steep inclines and rough surfaces. Combined with the hand-operated height adjust lever, steering controls, infinitely variable hydrostatic drive in both forward and reverse and a serrated ice breaking auger, these models handle difficult clearing conditions. This allows the operator to attack hard packed and frozen conditions, clearing down to the pavement and to cut through hard packed snow without riding up over the snow being removed.



# Choose the Right Honda Snow Blower for You

To help choose the perfect Honda Snow Blower for you, we've put together a quick guide. Simply answer the questions and follow the path to see which models are best suited to you and your environment. For additional expert advice on the best model for your area, contact your Authorized Honda Power Equipment Dealer.

Start Here

**How much annual snowfall do you receive?**

**Heavy Snowfall**

Also heavy, wet, dense, or hard-packed snow.

**Moderate Snowfall**

**Light Snowfall**

**How large is the area you need to clear?**

Large\*

Medium

Small\*

**What type of surface are you clearing?**

Smooth

Flat\*

Steep Incline

Rough\*

**How large is the area you need to clear?**

Large\*

Medium\*

Small

**What type of surface are you clearing?**

Smooth

Flat

Steep Incline

Rough\*

## Snowfall

Snowfall can vary dramatically from light, medium to heavy, depending on where you live. While depth of snow is a key determining factor when choosing level of snowfall, choose *heavy* if you are clearing heavy or hard-packed snow.

## Area

If you have a single-car driveway or need to clear a small portion of sidewalk, choose *small*. If you have a corner lot, a two to three-car driveway and have to clear a section of sidewalk, choose *medium*. If you are clearing a long driveway with an area big enough for three or more cars, a parcel, or parking lot, choose *large*.



## Surface Type

You have a choice of either *smooth* or *rough* surface types. Choose *smooth* when clearing snow from flat, level surfaces like asphalt and pavers. Choose *rough* when clearing snow from surfaces like gravel, cobblestone and soil.



## Incline

When clearing snow from an area that requires effort to push the snow blower up a slope or control it on the decent, choose *steep incline*. If you are clearing a flat area with a small or gradual incline that would not cause user fatigue, choose *flat*.



## \*Choose Track Drive Over Wheel If:

- 1) Snow conditions include heavy or hard-packed snow, or
- 2) The area to be cleared is on a moderate to steep incline.

**How large is the area you need to clear?**

Small

Medium

Large\*

**What type of surface are you clearing?**

Smooth

Rough\*

Flat

Steep Incline



724 AW/AWD (Pages 14-15)  
724 AT/ATD (Pages 18-19)  
928 AW/AWD (Pages 14-15)  
928 AT/ATD (Pages 18-19)



724 AW/AWD (Pages 14-15)  
724 AT/ATD (Pages 18-19)



720 AM/AA/AS (Pages 10-11)  
724 AW/AWD (Pages 14-15)



724 AT/ATD (Pages 18-19)



928 AW/AWD (Pages 14-15)  
928 AT/ATD (Pages 18-19)  
1332 AT/ATD (Pages 18-19)  
1336i (Pages 20-21)



724 AW/AWD (Pages 14-15)  
724 AT/ATD (Pages 18-19)  
928 AW/AWD (Pages 14-15)  
928 AT/ATD (Pages 18-19)



724 AT/ATD (Pages 18-19)  
928 AT/ATD (Pages 18-19)



724 AW/AWD (Pages 14-15)  
724 AT/ATD (Pages 18-19)  
928 AW/AWD (Pages 14-15)  
928 AT/ATD (Pages 18-19)



724 AW/AWD (Pages 14-15)  
724 AT/ATD (Pages 18-19)  
928 AW/AWD (Pages 14-15)  
928 AT/ATD (Pages 18-19)



720 AM/AA/AS (Pages 10-11)  
724 AW/AWD (Pages 14-15)



724 AT/ATD (Pages 18-19)



724 AW/AWD (Pages 14-15)  
724 AT/ATD (Pages 18-19)



# Single-Stage Honda Snow Blowers

## HS720 Series



These compact machines pack a lot of snow-moving power. With an easy-starting Honda GC190cc engine, the HS720 has a light, space-saving profile that's smooth to maneuver yet carves a 20" path while throwing snow up to 33' with force often found in larger, more expensive machines. This single stage design allows performance that outperforms some competitive two-stage models. The **auger assist drive** helps move the HS720 when the rubber-edged auger contacts the surface.

And the **replaceable rubber blades** help clear snow in smooth areas right down to the surface. Honda's HS720AA and HS720AS models feature the **Snow Director™ Chute Control** which allows easy control of the distance and direction of snow removal. The HS720AS model features plug-in **AC electric start** for added starting convenience. All HS720 models feature **large, operator-friendly controls, glove-friendly fuel tank caps** and a **heavy-duty auger housing** that stands up to harsh conditions.



Manual Chute Control



Rubber Auger Surface Cleaning

### ◀ HS720AM

- Pounds per minute clearing (max): **1,800\***
- Clearing width: **20"**
- Clearing height: **12"**
- Throw distance (max): **33'\***



Manual Snow Director™ Chute Control



Rubber Auger Surface Cleaning

### HS720AA ▶

- Pounds per minute clearing (max): **1,800\***
- Clearing width: **20"**
- Clearing height: **12"**
- Throw distance (max): **33'\***



Electric Start



Manual Snow Director™ Chute Control



Rubber Auger Surface Cleaning

### ◀ HS720AS

- Pounds per minute clearing (max): **1,800\***
- Clearing width: **20"**
- Clearing height: **12"**
- Throw distance (max): **33'\***


\*Capacity and throw distance will vary with conditions.

## HS720 Series Features




### Fuel-Efficient Honda GC190 OHC Premium Residential Engine

Fuel-efficient, Honda 4-stroke technology for easy starts and the kind of reliability you've come to expect from Honda.



### Easier Snow Removal With Auger-Assist Drive

Designed to offer years of dependable service, Honda uses a rugged, durable metal auger with replaceable rubber paddles to make quick work of residential snow removal and assist the operator's forward movement.



### Snow Director™ Chute Control Easily Controls Distance And Direction Of Snow Removal

Conveniently located dual remote controls allow operator to easily control snow removal direction (left photo) and distance (right photo). (HS720AA and HS720AS only.)



### Convenient Electric Start

The HS720AS is equipped with a 120 volt A.C. push button electric starter to make the job even easier. Just plug in an extension cord, start the snow blower, unplug and go!




# Two-Stage HSS Series Key Features



## Legendary Honda Engines


Only Honda HSS Series snow blowers feature our easy-starting Honda GX overhead valve (OHV) commercial grade engines. These 4-strokes have long been recognized as the industry leaders in providing reliable, quiet and fuel-efficient power.

The overhead valve engine design means these snow blowers run on up to 30% less fuel than comparable side-valve engines, and the Honda name means these legendary, easy-starting engines consistently deliver smooth and reliable power.



### Control Panel (top view)

- 1 • Honda's maintenance-free hydrostatic transmission provides convenient directional (forward/reverse) and smooth, infinitely variable speed control all in one lever. No shifting required!
- 2 • Easy to reach throttle control.
- 3 • Electronic joystick offers easy and precise chute control for direction and distance of snow discharge.



### Control Panel (front view)

- 4 • Easy turns are standard with Honda steering lever controls. With both steering levers engaged, the unit can be easily rolled and maneuvered with the engine off.
- 5 • Conveniently-located choke control for maximum flexibility under various temperature conditions (HSS928 and HSS1332 models only).
- 6 • Digital hour meter tracks usage time for scheduling proper service intervals. An indicator light signals when the auger lock sensor stops the engine and protects the auger from damage if high torque is detected (on HSS1332ATD model only).
- 7 • Automotive-style electric key starting (electric start models). On board 12v battery eliminates the need for 120V plug in to start.
- 8 • With auger engagement (and steering levers engaged), one hand is free to operate other top mounted controls for speed, direction and discharge control.

HSS1332ATD model shown

## Honda's Hydrostatic Transmission



Control of forward and reverse speed is simplicity itself with Honda's hydrostatic transmission — standard on HSS724, HSS928 and HSS1332 series snow blowers. A single lever accurately adjusts ground speed without affecting auger rotation speed. The farther you move the lever, the faster your Honda Snow Blower moves — push forward to move ahead or pull back for reverse.

- Infinitely variable speed means it's easy to set the pace for every snow condition and personal preference.
- All adjustments to forward and reverse speed can be made with one hand.
- Smooth and predictable speed transitions provide superior control and safer operation.
- Auger speed is completely independent from ground speed, for optimum performance.



## Joystick Chute Control

The all-new electric 4-direction joystick chute control lets you reposition your chute on the go.



## Fingertip Steering

Left and right control levers provide intuitive steering control. With engine off, pull and hold both lever for neutral, and then easily roll the snow blower.




## Serrated, Ice-Breaking Auger

Two-stage system with heavy-duty serrated auger and impeller breaks up ice pack and snow for speedy removal to discharge chute.



## Auger Protection System

Your auger drive shaft and impeller blower are protected by easily replaceable offset shear bolts to prevent auger or impeller shaft damage should your auger engage a solid object.



## Reversible Skid Shoes

Reversible, heavy-duty skid shoes provide twice the life of regular skid shoes.



## Articulated Chute

Articulated discharge chute offers precise direction and distance control of snow.



## Steel Reinforced Housing

Enjoy Honda durability with automotive-grade steel side auger housing and discharge chute.



## Gas Tank With Gauge

Large easy-fill gas tank with fuel gauge.



## LED Light

Sharp, bright and cool to the touch. Performance and lifespan that the competitor's incandescent bulbs can't touch.



# Two-Stage Wheel Drive Honda Snow Blowers

## HSS724 & HSS928 Series




Honda HSS724 and HSS928 wheel drive models offer superb maneuverability on smooth surfaces with **14" tall pneumatic, sure-grip tires** featuring a retooled, aggressive directional tread pattern. Both models have been redesigned with a **larger blower diameter** for increased snow removal speed, **chamfered scraper** for improved snow clearance and offer **throwing distances that exceed many competitors** — up to 49' and 52' for the HSS724 and HSS928, respectively. The HSS724 includes a full range of features in a mid-size package with a two-stage snow removal system perfect for residential or light commercial use. For more demanding snow scenarios, the heavy-duty HSS928 carves a 28" path yet handles nibly and accurately across even surfaces. HSS724 and HSS928 wheel models come standard with **hydrostatic transmission, built-in LED headlight, fingertip steering control levers, offset blower shear bolt, 4-direction electric joystick chute control** and are available in recoil or **automotive-style DC electric start** (with recoil back up) versions.



### HSS724AW/AWD ▶

- Pounds per minute clearing (max): **1,500\***
- Clearing width: **23.8"**
- Clearing height: **21.7"**
- Throw distance (max): **49'\***



### ◀ HSS928AW/AWD

- Pounds per minute clearing (max): **1,900\***
- Clearing width: **28"**
- Clearing height: **21.7"**
- Throw distance (max): **52'\***





# Track Drive Features

HSS724, HSS928 & HSS1332 Series

Dual track drive on Honda HSS724, HSS928 and HSS1332 models offer even weight distribution and exceptional traction on steep inclines and rough surfaces. Combined with the hand-operated height adjust lever, steering controls, infinitely variable hydrostatic drive in both forward and reverse and a serrated ice-breaking auger, these models handle most difficult clearing conditions. This allows the operator to attack hard packed and frozen conditions, clearing down to pavement and to cut through hard packed snow without riding up over the snow being removed.



## Track Drive

Track drive combines pliable, low temperature rubber tracks with a redesigned, interlocking T sure-grip cleat pattern for even weight distribution and exceptional traction across steep inclines and rough clearing surfaces.




## Auger Height Control

The all-new hand-operated auger height control lever allows the operator to easily and infinitely adjust auger housing height on uneven clearing surfaces or to engage the ice-breaking auger when removing heavy packed snow, right down to the surface.




## Fingertip Controls

Left and right control levers provide intuitive steering control, or with engine off, pull and hold both levers for neutral, and then easily roll the snow blower.



## Pneumatic Gas Strut

Honda's addition of a pneumatic gas strut to the auger height control system gives the user smooth and accurate auger housing adjustment.



## Variable Auger Height Positions

Previous HS track models offered three position height adjustment. With the redesigned auger height control level and gas strut, new HSS models offer the operator infinitely variable positions for complete control of snow and ice removal.




# Two-Stage Track Drive Honda Snow Blowers

## HSS724, HSS928 & HSS1332 Series




Honda HSS724, HSS928 and HSS1332 dual track drive models offer superior traction through practically any snow or surface condition — from heavy, dense snow to steep inclines and uneven surfaces. These snow fighting machines come standard with **ice-breaking, heavy-duty, serrated augers**. To enhance performance and durability, the auger shaft is **bearing-supported** and the auger drive is equipped with an easily replaceable **offset blower shear bolt**. These track drive models are outfitted with a pneumatic, **all-new auger height lever** that adjusts to varying surface conditions with the press of a thumb. All models have been redesigned with a **larger impeller diameter** for increased snow removal speed and offer **throwing distances that exceed many competitors** — from 49' to 56', depending on model. HSS dual track drives come standard with **hydrostatic transmission, built-in LED headlight, fingertip steering control levers, 4-direction electric joystick chute control** and are available in recoil or **automotive-style DC electric start** (with recoil back up) versions.




### ◀ HSS724AT/ATD

- Pounds per minute clearing (max): **1,500\***
- Clearing width: **23.8"**
- Clearing height: **21.7"**
- Throw distance (max): **49'\***



### HSS928AT/ATD ▶

- Pounds per minute clearing (max): **1,900\***
- Clearing width: **28"**
- Clearing height: **21.7"**
- Throw distance (max): **52'\***



### ◀ HSS1332AT/ATD

- Pounds per minute clearing (max): **2,750\***
- Clearing width: **31.9"**
- Clearing height: **21.7"**
- Throw distance (max): **56'\***
- **Double articulated chute HSS1332ATD only**

\*Capacity and throw distance will vary with conditions.  
†Electric Start available on ATD models. ††HSS1332ATD model only.



# Two-Stage Hybrid Honda Snow Blower HS1336i



The Honda HS1336i is the ultimate solution for serious snow removal. This powerful machine blends superior capabilities, advanced engineering and hybrid technology to clear snow in the most demanding commercial and residential scenarios.

The HS1336i offers a highly effective—and economical—alternative that meets intense snow moving requirements yet is less costly to purchase and operate than a dedicated tractor with snow blower attachment. Even with its awesome power and robust capabilities; the HS1336i is smooth and simple to operate and maintain, with maximum power and minimal effort. The Honda HS1336i runs smarter and smoother thanks to the innovative use of **hybrid technology**. We've combined the engine and electric motor power to provide powerful snow throwing and uninterrupted travel and motion simultaneously. While engine power expels snow rapidly, dual electric motors deliver smooth and consistent power to the Honda track drive system. The HS1336i also comes standard with a **fully articulating auger housing, electric starting, fingertip-activated electric clutch, on-board diagnostics** and **electric transport mode**.



## The Right Mode For The Load: Auto, Semi-Automatic or Manual Operations.

The HS1336i is powered by an intelligent, commercial-grade Honda iGX390 engine and engineered to offer motor-track operation. Programmed to function on Automatic, Semi-Automatic and Manual modes in combination with motor-track functionality, the HS1336i gives you, the operator, just the right controls and versatility—for the smoothest, fastest, most effective snow blowing you've ever experienced.

**Automatic:** Our digital systems monitor and auto-adjust the auger, fan and track drive speeds to match the load. In Automatic, the auger auto-lifts when the machine is placed in reverse. So all you have to do is steer and watch the show.

**Semi-Automatic:** It's the perfect combination of brain and brawn. While the travel speed is automatically adjusted due to load conditions, the operator has full control of the auger, fan and engine power. Meaning, you can place the snow where you want it, when you want it. In this mode, the auger also auto-lifts when the machine is in reverse.

**Manual:** Experienced operators have full control over the machine for maximum speed and performance.

## HS1336i Features



### HS1336i Control Panel

Glove-friendly controls and easy-to-understand labels and layout make operating a breeze.



### Electronic Indicators

Quick view indicators and diagnostics track vital information to monitor all operating systems.



### Heavy-Duty, Serrated Augers

Ice-breaking augers automatically lift in reverse when Automatic or Semi-Automatic modes are engaged.



### Standard Work Light

The well positioned light illuminates work paths in dark conditions.

## Hybrid Features



Track Drive



Joystick Chute Control



Auto Choke



LED Light



Electric Start



### Hybrid Technology

For ultimate control, Honda's unique Hybrid technology utilizes the engine power in two ways. First to provide the electrical drive to the tracks; and second to provide maximum power direct to the auger for powerful snow clearing.



### Steering Control Levers

Easy steering and unrivalled control once auger and clutch levers are engaged. Levers also provide easy movement and transport even with the engine off. Two-stage models.



### Mode Selector

A unique function only possible with Honda Hybrid Snow Blowers. Mode selector allows the operator to select a mode of operation which best suits their abilities and conditions, while ensuring optimum efficiency.



### Self-Diagnostic Monitoring

The snow blower's self-diagnostic system detects faults during start-up and operation and provides an indication with one of five lights.



### Articulated Head Control

When the snow blower is working on a slope, the articulated head controls let you tilt the auger to cut a horizontal flat path.



### Smart Auger System

The Smart Auger System provides three convenient functions for auger operation. These are the auger lift mechanism, reset mechanism and rolling function.



### HS1336i ▶

- Pounds per minute clearing (max): 3,000\*
- Clearing width: 36"
- Clearing height: 22.8"
- Throw distance (max): 62"

\*Capacity and throw distance will vary with conditions.





### FEATURES

	HS720AM	HS720AA HS720AS	HSS724AW HSS724AWD	HSS724AT HSS724ATD		HSS928AW HSS928AWD	HSS928AT HSS928ATD	HSS1332AT HSS1332ATD	1336i
Honda Overhead Cam Engine	•	•	-	-		-	-	-	-
Honda Overhead Valve Engine	•	•	•	•		•	•	•	•
Automatic Decompression	•	•	•	•		•	•	•	-
Extreme Cold-Ready	-	-	•	•		•	•	•	•
Conveniently-Placed Choke/Throttle Control	-	-	•	•		•	•	•	•
Track Drive	-	-	-	•		-	•	•	•
Self-Propelled	Semi	Semi	•	•		•	•	•	•
Adjustable Snow Deflection	Manual	Remote (2 Hand-Operated Levers)	Remote Electric	Remote Electric		Remote Electric	Remote Electric	Remote Electric	Remote Electric
Adjustable Chute Rotation	Manual	Remote (2 Hand-Operated Levers)	Remote Electric	Remote Electric		Remote Electric	Remote Electric	Remote Electric	Remote Electric
Interconnected Drive/Auger Control	-	-	•	•		•	-	•	-
Metal Auger Housing	-	-	•	•		•	•	•	•
Auger Height Adjustment System	-	-	-	Hand-Operated Gas Strut with Infinite Adjustment		-	Hand-Operated Gas Strut with Infinite Adjustment	Hand-Operated Gas Strut with Infinite Adjustment	Hydroelectric Elevate and Rotate
Reversible Skid Shoes	-	-	•	•		•	•	•	•
120-Volt Electric Starter	-	HS720AS	-	-		-	-	-	-
DC Electric Starter with Onboard Battery	-	-	AWD Model	ATD Model		AWD Model	ATD Model	ATD Model	24 Volt
Work Light	-	-	LED Headlight	LED Headlight		LED Headlight	LED Headlight	LED Headlight	Standard
Articulated Chute	•	•	•	•		•	•	AT: Single Articulated ATD: Double Articulated	Double Articulated
Hour Meter	-	-	-	-		-	-	ATD Model	-
Fuel Level Gauge	-	-	•	•		•	•	•	•
Drift Breaker Kit	-	-	Optional	Optional		Optional	Optional	Optional	Optional
2-Year Limited Residential Warranty <sup>†</sup>	•	•	-	-		-	-	-	-
3-Year Limited Warranty <sup>†</sup>	-	-	•	•		•	•	•	•

### SPECIFICATIONS

	Honda GC190 Overhead Cam/Overhead Valve	Honda GC190 Overhead Cam/Overhead Valve	Honda GX200 Overhead Valve	Honda GX200 Overhead Valve		Honda GX270 Overhead Valve	Honda GX270 Overhead Valve	Honda GX390 Overhead Valve	Honda iGX390 Overhead Valve
4-Stroke Commercial Grade Engine Single Cylinder, Air-Cooled									
Displacement	187cc	187cc	196cc	196cc		270cc	270cc	389cc	390cc
Wheel/Track	Wheel	Wheel	Wheel	Track		Wheel	Track	Track	Track
Stages	1	1	2	2		2	2	2	2
Drive Mechanism	Manual Auger-Assisted	Manual Auger-Assisted	Hydrostatic, Infinitely Variable	Hydrostatic, Infinitely Variable		Hydrostatic, Infinitely Variable	Hydrostatic, Infinitely Variable	Hydrostatic, Infinitely Variable	Electric, Infinitely Variable
Chute Adjustment System	Manual	Snow Director™ Chute Control	Remote Electric Joystick	Remote Electric Joystick		Remote Electric Joystick	Remote Electric Joystick	Remote Electric Joystick	Remote Electric Joystick
Steering System	-	-	Steering Clutches	Steering Clutches		Steering Clutches	Steering Clutches	Steering Clutches	Electric
Chute Turning Angle	220°	204°	198°	198°		198°	198°	198°	240°
Clearing Width	20"	20"	23.8"	23.8"		28.0"	28.0"	31.9"	36"
Clearing Height	12.0"	12.0"	21.7"	21.7"		21.7"	21.7"	21.7"	22.8"
Throwing Distance (max)*	33'	33'	49'	49'		52'	52'	56'	62'
Pounds Per Minute Clearing (max)*	1,800	1,800	1,500	1,500		1,900	1,900	2,750	3,000
Starting System	Recoil	AA: Recoil., AS: Electric/Recoil	AW: Recoil., AWD: Electric/Recoil	AT: Recoil., ATD: Electric/Recoil		AW: Recoil., AWD: Electric/Recoil	AT: Recoil., ATD: Electric/Recoil	AT: Recoil., ATD: Electric/Recoil	Electric Only
Fuel Tank Capacity	0.29 gal.	0.29 gal.	0.82 gal.	0.82 gal.		1.3 gal.	1.3 gal.	1.5 gal.	1.51 gal.
Dimensions (L x W x H)	49.6" x 20.9" x 40.6"	49.6" x 20.9" x 40.6"	58.5" x 26.4" x 43.5"	58.5" x 24.8" x 43.5"		58.5" x 30.5" x 43.5"	58.5" x 28.9" x 43.5"	58.5" x 32.9" x 43.5"	69.3" x 36.2" x 52.8"
Dry Weight	82 lb.	AA: 89 lb., AS: 93 lb.	AW: 209 lb., AWD: 220 lb.	AT: 231 lb., ATD: 243 lb.		AW: 231 lb., AWD: 243 lb.	AT: 265 lb., ATD: 276 lb.	AT: 276 lb., ATD: 298 lb.	540 lb.

<sup>†</sup>For full warranty details, see Honda.com.  
\*Capacity and throw distance will vary with conditions.

### OPTIONAL ACCESSORIES



**Heavy-Duty Skid Shoes**  
Heavy duty skid shoe with 7/16" thick pad surface.



**Drift Breaker Kit**  
Easily attaches to auger housing to knock down snow drifts.

For more Honda Snow Blower accessories, visit [Honda.com](http://Honda.com) or see your local Authorized Honda Power Equipment Dealer.





**HONDA**

**Power**

**Equipment**

**Very Smart.**



Visit us online at [powerequipment.honda.com/snowblowers](http://powerequipment.honda.com/snowblowers)



For optimum performance and safety we recommend you read the owner's manual before operating your Honda Power Equipment. Specifications subject to change without notice.

All images contained herein are either owned by American Honda Motor Co., Inc., or used under a valid license. It is a violation of federal law to reproduce these images without express written permission from American Honda Motor Co., Inc., or the individual copyright owner of such images. All rights reserved. Honda, the Honda Power Equipment logo, Honda Snow Blower model names and their trade dress are trademarks of Honda Motor Co., Ltd. used under license by American Honda Motor Co., Inc. Many Honda engine, snow blower and power equipment model names, and associated trade dress may be seen at [www.honda.com](http://www.honda.com). ©2015 American Honda Motor Co., Inc. C0586